




# Newton Micro & Mini /Segmento Mini & Dark



Design ABS Studio



Code	<b>6722</b>
Description	Micro swiveling spotlight with magnetic attachment for installation on Tiny electrified 24V low-voltage track, with direct and accent light.
Year of production	2022
Typology	track, system,
Material	aluminium
Light Emission	<i>live</i>
IP grade	IP20
Allimentation	24Vdc
Finishes	<b>.02</b>  Black
Light source	<b>/WW</b> 4W 310lm 24V 3000K 90 <b>/XW</b> 4W 310lm 24V 2700k 90
Net weight	0,09 lb




# Newton Micro & Mini /Segmento Mini & Dark



Design ABS Studio

## EXAMPLE OF CONFIGURATION



# Newton Micro & Mini /Segmento Mini & Dark



Design ABS Studio

## ELEMENTI DI SISTEMA

Power head length 8 cm

7404

0,00 lb

.02  Black



24v track end cap

7405

0,00 lb

.02  Black



Rail connection set 24v length 1cm

7406

0,00 lb

.02  Black



90° wall/ceiling junction length 8.6cm

7407

0,00 lb

.02  Black



T-junction length 15cm

7408

0,00 lb

.02  Black



# Newton Micro & Mini /Segmento Mini & Dark

Design ABS Studio



X-junction length 16.5 cm

**7409**

0,00 lb

.02  Black



90° joint length 9 x 7.6 cm

**7410**

0,00 lb

.02  Black



Low voltage 24V magnetic electrified track length 30cm for ceiling and wall applications.

**7399**

0,00 lb



Low voltage 24V magnetic electrified track 60cm long for ceiling and wall applications

**7400**

0,00 lb

.02  Black



Low voltage 24V magnetic electrified track 120cm length for ceiling and wall applications

**7401**

0,00 lb

.02  Black



Low voltage 24V magnetic electrified track 180cm length for ceiling and wall applications

**7402**

0,00 lb

.02  Black



Low voltage 24V magnetic electrified track 180cm length for ceiling and wall applications

**7403**

0,00 lb

.02  Black



## ACCESSORIES

# Newton Micro & Mini /Segmento Mini & Dark

Design ABS Studio



led constant voltage driver 24V 60W

**U0160/24**

0,00 lb

---

led constant voltage driver 24V 100W

**U0161/24**

0,00 lb

