

LANGCIA

FAMILY


*Designed by P. Peperè*

MODULO

# LANCIA family

The lamp with its simple and essential design provide a **continuous and uniform light** while respecting the highest **visual comfort**.


The **elegant line** gives it a look that is well suited to any type of environment, from classic to modern interiors.



**EGOLUCE**

two  
design solutions

LINEARE




TONDA

ESONLINE

five  
typologies

Suspension • Ceiling • Wall • Floor • Table • System

LINEARE



TONDA

System • Suspension • Ceiling • Wall • Floor • Table

EGOLUCE

# every locations

Workplaces • Medical facilities



Hospitality • Residential

**ESOLUCE**

many  
features

CRI>90 • LED from 2700K to 4000K • dimmability • UGR

DESIGN



TECHNICAL


design • finishes • dimensions

LEDVANCE

# technical

*light control*

Dali • Casambi • Triac • 1-10V/ Push



**LEDVANCE**

# technical

**UGR < 19**

The **UGR** (*Unified Glare Rating*) method is used to assess and delimit direct physiological glare created by luminaires.

The direct glare expressed by the UGR value always **depends on the surroundings and the position of the observer.**

*Reference values of EN 12464-1:  
UGR < 19 at the workstation*




**LEDUCE**



# technical

*pixeling free*




LEDUCE

# SUSPENSION

*LANCIA TONDA*

*LANCIA TONDA SYSTEM*



**EGOLUCE**

where  
residential

1566 1562 1563 1564  
LANCIA TONDA - *suspension*



ESOLUCE

# where restaurants


1566 1562 1563 1564 1575 1576  
LANCIA TONDA - *suspension*



ESOLUCE

where  
workplaces

1566 1562 1563 1564 1575 1576  
LANCIA TONDA - *suspension*



REGOLUCE

where  
workplaces

1566 1562 1563 1564 1575 1576  
LANCIA TONDA - *suspension*



ESONLINE

where  
workplaces

1566 1562 1563 1564 1575 1576  
LANCIA TONDA - *suspension*



ESDUCHE

where  
office

1171 1172 1173  
LANCIA TONDA CAVO - *suspension*



ESONLINE



# SUSPENSION

*LANCIA DI ACHILLE*

*LANCIA*

*LANCIA CAVO*

*LANCIA SYSTEM / MULTI LANCIA  
SYSTEM*



**EGOLUCE**

where  
workplaces

1539 1670 1671  
LANCIA - *suspension*



ESOLUCE

where  
residential

1539 1670 1671  
LANCIA - *suspension*



ESOLUCE

where  
residential

1539 1670 1671  
LANCIA - *suspension*



ESONLINE

where  
retail


1565  
LANCIA CAVO - *suspension*



ESOLUCE

where  
residential

1670 1671  
MULTI LANCIA SYSTEM - *suspension*



ESOLUCE

where  
residential

1577  
LANCIA - *suspension*



ESONLINE

where  
residential

1567  
LANCIA DI ACHILLE - *suspension*



EGOLUCE



where  
residential

1567  
LANCIA DI ACHILLE - *suspension*



ESOLUCE

# CEILING/WALL


## LANCIA TONDA



EGOLUCE

where  
hospitality

5602 5603 5604 5605  
LANCIA TONDA - ceiling



ESOLUCE

where  
residential



4605 4606 4607  
LANCIA TONDA - wall



LEDUCE

# CEILING/WALL

*LANCIA LINEARE*




**EGOLUCE**

where  
museums

4566 4567 4568 4569 4570

LANCIA - wall



ESOLUCE

where  
restaurants

4566 4567 4568 4569 4570

LANCIA - wall



ESOLUCE

where  
residential

4566 4567 4568 4569 4570  
LANCIA - wall



ESOLUCE



where  
residential

4566 4567 4568 4569 4570  
LANCIA - wall



ESONJCE

where  
residential

4566 4567 4568 4569 4570

LANCIA - wall



ESOLUCE

# FLOOR/TABLE


## LANCIA TONDA



EGOLUCE

where  
residential

3513 3514 3515  
LANCIA TONDA - *floor*



ESOLUCE

where  
residential

3513 3514 3515 / 1566 1562 1563 1564  
LANCIA TONDA - *floor/suspension*



ESOLUCE

where  
residential



4605 4606 4607 / 2513 2514  
LANCIA - wall/table



ESOLUCE

# FLOOR/TABLE

*LANCIA LINEARE*



**EGOLUCE**

# where workplaces

3522 3523

LANCIA - *floor/suspension*



ESOLUCE



where  
residential

3524 3525  
BI-LANCIA - floor



ESOLUCE

where  
residential

2506  
LANCIA - *table*



ESOLUCE

TECHNICAL

S H E E T S


**ESD.UC**

# SUSPENSION

*LANCIA TONDA*

*LANCIA TONDA SYSTEM*

*LANCIA TONDA CAVO*



**EGOLUCE**

*tonda*

---

1566

1562

1563

1564

1575

1576



LANCIA TONDA


EGOLUCE

# tech


dimensions/light

1566 1562





## LANCIA TONDA - suspension



1566



1562

1566 Ø 50cm	/W-LED	27W	3390lm	4000K	CRI>90
	/WW-LED	27W	3030lm	3000K	CRI>90
	/XW-LED	27W	2835lm	2700K	CRI>90
1562 Ø 70cm	/W-LED	37,8W	4746lm	4000K	CRI>90
	/WW-LED	37,8W	4242lm	3000K	CRI>90
	/XW-LED	37,8W	3969lm	2700K	CRI>90
<b>dimmiability</b>	dimmiable upon request				
<b>marks</b>	    upon request				


- single ceiling cable fixing / displacement component (0536)
- LED source (18W/mt) and converter included



01  
white



02  
black




25  
satin  
gold




31  
chrome




85  
paint  
silver



86  
paint  
gold



87  
paint  
copper



88  
paint  
bronze


**LEDUCE**

# tech





dimensions/light

1563 1564

## LANCIA TONDA - suspension



1563/1564

1563 Ø 100cm	/W-LED	54W	6780lm	4000K	CRI>90
	/WW-LED	54W	6060lm	3000K	CRI>90
	/XW-LED	54W	5670lm	2700K	CRI>90
1564 Ø 150cm	/W-LED	81W	10170lm	4000K	CRI>90
	/WW-LED	81W	9090lm	3000K	CRI>90
	/XW-LED	81W	8505lm	2700K	CRI>90
<b>dimmiability</b>	dimmiable upon request				
<b>marks</b>	    upon request				

- single ceiling cable fixing / displacement component (0536)
- LED source (18W/mt) and converter included




**01**  
white




**02**  
black




**85** paint  
silver



**86** paint  
gold



**87** paint  
copper







**88** paint  
bronze

**LEDVANCE**

tech  
dimensions/light

1575 1576  
LANCIA TONDA XL/XXL - suspension



1575 Ø 200cm	/W-LED 67W 7560lm 4000K CRI>90 /WW-LED 67W 7140lm 3000K CRI>90 /XW-LED 67W 6720lm 2700K CRI>90
1576 Ø 300cm	/W-LED 96W 10800lm 4000K CRI>90 /WW-LED 96W 10120lm 3000K CRI>90 /XW-LED 96W 9600lm 2700K CRI>90
<b>dimmiability</b>	dimmiable upon request
<b>marks</b>	  

- supplied in 4 sectors to be joined during installation
- LED source (9,6W/mt) and driver included




**LEDUCE**



tech  
dimensions/light

1578

## LANCIA MEGA - suspension



1578  
Ø 400cm

/W-LED	125W	17280lm	4000K	CRI>90
/WW-LED	125W	16320lm	3000K	CRI>90
/XW-LED	125W	15360lm	2700K	CRI>90

**dimmmability** dimmable upon request

**marks**



- supplied in 6 sectors to be joined during installation
- LED source (9,6W/mt) and driver included



**LEDUCE**

*tonda*

---

A1566

A1562

A1564

A1565



LANCIA TONDA SYSTEM

EGOLUCE

# tech



## dimensions/light

## A1566 A1562 A1563 A1564

### LANCIA TONDA SYSTEM - suspension





A1566 Ø 50cm	/W-LED	27W	3390lm	4000K	CRI>90
	/WW-LED	27W	3030lm	3000K	CRI>90
	/XW-LED	27W	2835lm	2700K	CRI>90
A1562 Ø 70cm	/W-LED	37,8W	4746lm	4000K	CRI>90
	/WW-LED	37,8W	4242lm	3000K	CRI>90
	/XW-LED	37,8W	3969lm	2700K	CRI>90
<b>diminability</b>	diminable upon request				
<b>marks</b>	  				

A1563 Ø 100cm	/W-LED	54W	6780lm	4000K	CRI>90
	/WW-LED	54W	6800lm	3000K	CRI>90
	/XW-LED	54W	5670lm	2700K	CRI>90
A1564 Ø 150cm	/W-LED	81W	10170lm	4000K	CRI>90
	/WW-LED	81W	9090lm	3000K	CRI>90
	/XW-LED	81W	8505lm	2700K	CRI>90
<b>diminability</b>	diminable upon request				
<b>marks</b>	  				



tech  
dimensions/light

A1566 A1562 A1563 A1564  
LANCIA TONDA SYSTEM - *suspension*



A1566/A1562/A1563/A1564

Single lamp cable kit (0991/A)

- 3 steel cables 2mt
- 3 elements for cable fixing
- 3 suspension clips



3 lamps cable kit (0991/B)

- 3 steel cables 4mt
- 1 displacement element for cable fixing
- 3 suspension clips




ESOLUCE

# tech

dimensions/light

## 0990/60 0990/100 0990/150 0990/200 ceiling roses for suspension systems 24V




0990/60	ceiling rose with driver 60W	<b>PUSH</b> /P	<b>1...10 V</b> /N	
0990/100	ceiling rose with driver 100W	<b>PUSH</b> /P	<b>1...10 V</b> /N	<b>DALI</b> /D
0990/150	ceiling rose with driver 150W	<b>PUSH</b> /P	<b>1...10 V</b> /N	<b>DALI</b> /D
0990/200	ceiling rose with driver 200W	<b>PUSH</b> /P	<b>1...10 V</b> /N	<b>DALI</b> /D



**01**  
white



**02**  
black




**25** gold  
satin




**31**  
chrome




**85** paint  
silver



**86** paint  
gold



**87** paint  
copper



**88** paint  
bronze

*tonda*

---

1171

1172

1173




LANCIA TONDA CAVO




EGOLUCE

tech  
dimensions/light

1171 1172 1173  
LANCIA TONDA CAVO - suspension



1171/1172/1173

1171 Ø 35cm	/W-LED 18W 2260lm 4000K CRI>90 /WW-LED 18W 2020lm 3000K CRI>90 /XW-LED 18W 1890lm 2700K CRI>90
1172 Ø 50cm	/W-LED 27W 3390lm 4000K CRI>90 /WW-LED 27W 3030lm 3000K CRI>90 /XW-LED 27W 2835lm 2700K CRI>90
1173 Ø 70cm	/W-LED 37,5W 4746lm 4000K CRI>90 /WW-LED 37,5W 4242lm 3000K CRI>90 /XW-LED 37,5W 3969lm 2700K CRI>90
<b>dimmiability</b>	dimmiabile upon request
<b>marks</b>	  


- with coaxial cable 5,5mt
- LED source (18W/mt) and ceiling rose with driver included
- 4 chromed brass tensors with 2 steel cables 6mt (0970)
- 4 chromed brass tensors with 2 steel cables 10mt (0970/10)



**01**  
white



**02**  
black



**25** satin  
gold



**31**  
chrome

LEDUCE

# SUSPENSION

*LANCIA DI ACHILLE*

*LANCIA*

*LANCIA CAVO*

*LANCIA SYSTEM / MULTI LANCIA  
SYSTEM*



**EGOLUCE**



*lineare*

---

1567

1577




01  
LANCIA DI ACHILLE/  
LANCIA






EGOLUCE

tech  
dimensions/light


1567 1577

LANCIA DI ACHILLE/LANCIA - suspension



<p>1567 L. 122cm</p>	<table border="1"> <tr> <td>/W-LED</td> <td>19,5W</td> <td>2486lm</td> <td>4000K</td> <td>CRI&gt;90</td> </tr> <tr> <td>/WW-LED</td> <td>19,5W</td> <td>2222lm</td> <td>3000K</td> <td>CRI&gt;90</td> </tr> <tr> <td>/XW-LED</td> <td>19,5W</td> <td>2079lm</td> <td>2700K</td> <td>CRI&gt;90</td> </tr> </table>	/W-LED	19,5W	2486lm	4000K	CRI>90	/WW-LED	19,5W	2222lm	3000K	CRI>90	/XW-LED	19,5W	2079lm	2700K	CRI>90
/W-LED	19,5W	2486lm	4000K	CRI>90												
/WW-LED	19,5W	2222lm	3000K	CRI>90												
/XW-LED	19,5W	2079lm	2700K	CRI>90												
<p>1577 L. 122cm</p>	<table border="1"> <tr> <td>/W-LED</td> <td>19,5W</td> <td>2486lm</td> <td>4000K</td> <td>CRI&gt;90</td> </tr> <tr> <td>/WW-LED</td> <td>19,5W</td> <td>2222lm</td> <td>3000K</td> <td>CRI&gt;90</td> </tr> <tr> <td>/XW-LED</td> <td>19,5W</td> <td>2079lm</td> <td>2700K</td> <td>CRI&gt;90</td> </tr> </table>	/W-LED	19,5W	2486lm	4000K	CRI>90	/WW-LED	19,5W	2222lm	3000K	CRI>90	/XW-LED	19,5W	2079lm	2700K	CRI>90
/W-LED	19,5W	2486lm	4000K	CRI>90												
/WW-LED	19,5W	2222lm	3000K	CRI>90												
/XW-LED	19,5W	2079lm	2700K	CRI>90												
<p><b>dimmmability</b></p>	<p> touch dimmer switch included</p>															
<p><b>marks</b></p>	<p>   </p>															

- steel cable 3,50mt
- LED source (18W/mt) and driver included



**ESOLUCE**

*lineare*

---

1539

1670

1671




LANCIA SYSTEM/MULTI  
SYSTEM

EGOLUCE





tech  
dimensions/light

1539


LANCIA SYSTEM - *suspension*



1539

1539 L. 150cm	/W-LED	27W	3390lm	4000K	CRI>90
	/WW-LED	27W	3030lm	3000K	CRI>90
	/XW-LED	27W	2835lm	2700K	CRI>90
<b>dimmiability</b>	dimmiable upon request				
<b>marks</b>	   				

- LED source (18W/mt) and driver included
- without ceiling rose/driver
- with coaxial cable
- fixing kit supplied with the lamp



**LEDUCE**





# tech

## dimensions/light



## custom size

### LANCIA SYSTEM - suspension

L. 102cm	A1539.../100/W	18W	2260lm	4000K	CRI>90
	A1539.../100/MW	18W	2020lm	3000K	CRI>90
	A1539.../100/XW	18W	1890lm	2700K	CRI>90
L. 127cm	A1539.../125/W	22,5W	2825lm	4000K	CRI>90
	A1539.../125/MW	22,5W	2525lm	3000K	CRI>90
	A1539.../125/XW	22,5W	2362lm	2700K	CRI>90
L. 152cm	A1539.../150/W	27W	3390lm	4000K	CRI>90
	A1539.../150/MW	27W	3030lm	3000K	CRI>90
	A1539.../150/XW	27W	2835lm	2700K	CRI>90
L. 177cm	A1539.../175/W	31,5W	3955lm	4000K	CRI>90
	A1539.../175/MW	31,5W	3535lm	3000K	CRI>90
	A1539.../175/XW	31,5W	3307lm	2700K	CRI>90
L. 202cm	A1539.../200/W	36W	4520lm	4000K	CRI>90
	A1539.../200/MW	36W	4040lm	3000K	CRI>90
	A1539.../200/XW	36W	3780lm	2700K	CRI>90
<b>dimmiability</b>	dimmiabile upon request				

L. 227cm	A1539.../225/W	40,5W	5085lm	4000K	CRI>90
	A1539.../225/MW	40,5W	4545lm	3000K	CRI>90
	A1539.../225/XW	40,5W	4252lm	2700K	CRI>90
L. 252cm	A1539.../250/W	45W	5650lm	4000K	CRI>90
	A1539.../250/MW	45W	5050lm	3000K	CRI>90
	A1539.../250/XW	45W	4725lm	2700K	CRI>90
L. 277cm	A1539.../275/W	49,5W	6215lm	4000K	CRI>90
	A1539.../275/MW	49,5W	5555lm	3000K	CRI>90
	A1539.../275/XW	49,5W	5197lm	2700K	CRI>90
L. 302cm	A1539.../300/W	54W	6780lm	4000K	CRI>90
	A1539.../300/MW	54W	6060lm	3000K	CRI>90
	A1539.../300/XW	54W	5670lm	2700K	CRI>90
<b>marks</b>	   				

- LED source 18W/mt CRI>90
- new version with coaxial cable
- ceiling rose complete with driver lamp fixing kit to be ordered separately




**LEDUCE**

# tech

dimensions/light

## 0990/60 0990/100 0990/150 0990/200 ceiling roses for suspension systems 24V




0990/60	ceiling rose with driver 60W	<b>PUSH</b> /P	<b>1...10 V</b> /N	
0990/100	ceiling rose with driver 100W	<b>PUSH</b> /P	<b>1...10 V</b> /N	<b>DALI</b> /D
0990/150	ceiling rose with driver 150W	<b>PUSH</b> /P	<b>1...10 V</b> /N	<b>DALI</b> /D
0990/200	ceiling rose with driver 200W	<b>PUSH</b> /P	<b>1...10 V</b> /N	<b>DALI</b> /D



**01**  
white



**02**  
black




**25** gold  
satin




**31**  
chrome




**85** paint  
silver



**86** paint  
gold





**87** paint  
copper



**88** paint  
bronze

tech  
dimensions/light

multiple installations  
LANCIA SYSTEM - *suspension*




- fixing kit supplied with the lamps

LEDUCE

tech  
dimensions/light

1670 1671  
MULTI LANCIA SYSTEM - suspension



1670 2x200cm	/W-LED	72W	9040lm	4000K	CRI>90
	/WW-LED	72W	8080lm	3000K	CRI>90
	/XW-LED	72W	7560lm	2700K	CRI>90
1671 4x100cm	/W-LED	72W	9040lm	4000K	CRI>90
	/WW-LED	72W	8080lm	3000K	CRI>90
	/XW-LED	72W	7560lm	2700K	CRI>90
<b>dimmiability</b>	dimmable upon request				
<b>marks</b>					

- LED source (18W/mt) and driver included
- without ceiling rose/driver
- with coaxial cable
- fixing kit supplied with the lamp

- fixing kit between lamps (0092)



- ceiling fixing clip (0093)



**LEDUCE**



*lineare*

---

1565

03

LANCIA CAVO




EGOLUCE

tech  
dimensions/light

1565

## LANCIA CAVO - suspension



1165

L. 100cm	/W-LED	18W	2260lm	4000K	CRI>90
	/WW-LED	18W	2020lm	3000K	CRI>90
	/XW-LED	18W	1890lm	2700K	CRI>90
L. 150cm	/W-LED	27W	3390lm	4000K	CRI>90
	/WW-LED	27W	3030lm	3000K	CRI>90
	/XW-LED	27W	2835lm	2700K	CRI>90
L. 200cm	/W-LED	36W	4520lm	4000K	CRI>90
	/WW-LED	36W	4040lm	3000K	CRI>90
	/XW-LED	36W	3780lm	2700K	CRI>90
L. 300cm	/W-LED	54W	6780lm	4000K	CRI>90
	/WW-LED	54W	6060lm	3000K	CRI>90
	/XW-LED	54W	5670lm	2700K	CRI>90
<b>dimmiability</b>	dimmiabile upon request				
<b>marks</b>	  				


- LED source (18W/mt) and ceiling rose with driver included
- tensors with 2 steel cable 6mt (0965)
- tensors with 2 steel cable 10mt (0965/10)




**01**  
white




**02**  
black




**85** paint  
silver



**86** paint  
gold



**87** paint  
copper



**88** paint  
bronze

**LEDUCE**

# CEILING/WALL

## LANCIA TONDA



EGOLUCE

*tonda*

---


5602

5603

5604

5605


01  
CEILING



**EGOLUCE**


tech  
dimensions/light

5602 5603 5604  
LANCIA TONDA - ceiling



5602/5603/5604

- same finish for the complete frame
- LED source and driver included
- plate for coupled installation (0995):  
 $\varnothing$  9,6 cm  
 h. 0,3 cm



5602 $\varnothing$ 35cm	/W-LED	18W	2260lm	4000K	CRI>90
	/WW-LED	18W	2020lm	3000K	CRI>90
	/XW-LED	18W	1890lm	2700K	CRI>90
5603 $\varnothing$ 50cm	/W-LED	27W	3390lm	4000K	CRI>90
	/WW-LED	27W	3030lm	3000K	CRI>90
	/XW-LED	27W	2835lm	2700K	CRI>90
5604 $\varnothing$ 70cm	/W-LED	36W	4520lm	4000K	CRI>90
	/WW-LED	36W	4040lm	3000K	CRI>90
	/XW-LED	36W	3780lm	2700K	CRI>90
<b>dimmiability</b>	dimmiable upon request				
<b>marks</b>					



01  
white



02  
black




25 satin  
gold




31  
chrome




85 paint  
silver



86 paint  
gold



87 paint  
copper




88 paint  
bronze

LEDUCE

tech  
dimensions/light

5605

# LANCIA TONDA - ceiling



5605


5605  
Ø 100cm







/W-LED	54W	6780lm	4000K	CRI>90
/WW-LED	54W	6060lm	3000K	CRI>90
/XW-LED	54W	5670lm	2700K	CRI>90

**dimmiability** dimmable upon request

**marks**   

- same finish for the complete frame
- LED source and driver included
- plate for coupled installation (0995):  
Ø 9,6 cm  
h. 0,3 cm



					
<b>01</b> white	<b>02</b> black	<b>85</b> paint silver	<b>86</b> paint gold	<b>87</b> paint copper	<b>88</b> paint bronze

**LEDVANCE**

*tonda*

---

4605

4606

4607




02  
WALL

EGOLUCE

# tech

dimensions/light




4605/4606/4607

## 4605 4606 4607 LANCIA TONDA - wall

4605 Ø 35cm	/W-LED	18W	2260lm	4000K	CRI>90
	/WW-LED	18W	2020lm	3000K	CRI>90
	/XW-LED	18W	1890lm	2700K	CRI>90
4606 Ø 50cm	/W-LED	27W	3390lm	4000K	CRI>90
	/WW-LED	27W	3030lm	3000K	CRI>90
	/XW-LED	27W	2835lm	2700K	CRI>90
4607 Ø 70cm	/W-LED	36W	4520lm	4000K	CRI>90
	/WW-LED	36W	4040lm	3000K	CRI>90
	/XW-LED	36W	3780lm	2700K	CRI>90
<b>dimmiability</b>	4606 4607 dimmable upon request				
<b>marks</b>					


- same finish for the complete frame
- LED source and driver included
- adjustable



**01**  
white



**02**  
black




**25** satin  
gold




**31**  
chrome




**85** paint  
silver



**86** paint  
gold



**87** paint  
copper





**88** paint  
bronze

**LEDVANCE**



# CEILING/WALL

*LANCIA LINEARE*




**EGOLUCE**

*lineare*

---

5567

5568




01  
CEILING

EGOLUCE




# tech

dimensions/light


## 5567 5568 LANCIA - ceiling



5567/5568

5567 L. 60cm	/W-LED	9W	1130lm	4000K	CRI>90
	/WW-LED	9W	1010lm	3000K	CRI>90
	/XW-LED	9W	945lm	2700K	CRI>90
5568 L. 110cm	/W-LED	18W	2260lm	4000K	CRI>90
	/WW-LED	18W	2020lm	3000K	CRI>90
	/XW-LED	18W	1890lm	2700K	CRI>90
<b>dimmiability</b>	dimmiabile upon request				
<b>marks</b>	  				

- LED source and driver included
- not adjustable



**LEDUCE**

*tonda*

---

4566


4567

4568

4569

4570

02  
WALL




EGOLUCE

tech  
dimensions/light

4566

LANCIA MINI - wall



4566  
L. 32cm

/W-LED	5,4W	600lm	4000K	CRI>90
/WW-LED	5,4W	595lm	3000K	CRI>90
/XW-LED	5,4W	537lm	2700K	CRI>90

**dimmiability** dimmable upon request

**marks**



4566


- same finish for the complete frame
- LED source and driver included



**01**  
white



**02**  
black




**25** satin  
gold

LEDVANCE

# tech

dimensions/light

## 4567 4568 LANCIA - wall



4567/4568

4567 L. 60cm	/W-LED	9W	1130lm	4000K	CRI>90
	/WW-LED	9W	1010lm	3000K	CRI>90
	/XW-LED	9W	945lm	2700K	CRI>90
4568 L. 110cm	/W-LED	18W	2260lm	4000K	CRI>90
	/WW-LED	18W	2020lm	3000K	CRI>90
	/XW-LED	18W	1890lm	2700K	CRI>90
<b>dimmiability</b>	dimmiabile upon request				
<b>marks</b>					


- same finish for the complete frame
- LED source and driver included




**01**  
white



**02**  
black




**24** black  
chrome



**25** satin  
gold



**31**  
chrome



**32** nickel  
mat


**LEDUCE**

# tech

dimensions/light

4569

LANCIA - wall



4569


4569  
L. 99cm

/W-LED	16,5W	2072lm	4000K	CRI>90
/WW-LED	16,5W	1852lm	3000K	CRI>90
/XW-LED	16,5W	1732lm	2700K	CRI>90

**dimmiability** dimmable upon request


**marks**   

- same finish for the complete frame
- LED source and driver included



tech  
dimensions/light


4570  
LANCIA - wall



4570

4570 L. 134cm	/W-LED	22,5W	2825lm	4000K	CRI>90
	/WW-LED	22,5W	2525lm	3000K	CRI>90
	/XW-LED	22,5W	2362lm	2700K	CRI>90
<b>dimmbability</b>	dimmbable upon request				
<b>marks</b>					

- same finish for the complete frame
- LED source and driver included




LED LANCIA



# FLOOR/TABLE

*LANCIA TONDA*



EGOLUCE

*tonda*

---

3513

3514

3515

01  
FLOOR




**EGOLUCE**

tech  
dimensions/light

3513

## LANCIA TONDA - floor



3513

3513  
Ø 70cm

/W-LED	20W	2268lm	4000K	CRI>90
/WW-LED	20W	2142lm	3000K	CRI>90
/XW-LED	20W	2016lm	2700K	CRI>90

**dimmiability**

Dim | with push dimm on cable


**marks**



**01**  
white



**02**  
black



**25** satin  
gold



**31**  
chrome

LEDVANCE

tech  
dimensions/light



3514/3515

3514 3515

LANCIA TONDA - floor

<p>3514 Ø 100cm</p>	<table border="1"> <tr> <td>/W-LED</td> <td>29W</td> <td>3240lm</td> <td>4000K</td> <td>CRI&gt;90</td> </tr> <tr> <td>/WW-LED</td> <td>29W</td> <td>3060lm</td> <td>3000K</td> <td>CRI&gt;90</td> </tr> <tr> <td>/XW-LED</td> <td>29W</td> <td>2880lm</td> <td>2700K</td> <td>CRI&gt;90</td> </tr> </table>	/W-LED	29W	3240lm	4000K	CRI>90	/WW-LED	29W	3060lm	3000K	CRI>90	/XW-LED	29W	2880lm	2700K	CRI>90
/W-LED	29W	3240lm	4000K	CRI>90												
/WW-LED	29W	3060lm	3000K	CRI>90												
/XW-LED	29W	2880lm	2700K	CRI>90												
<p>3515 Ø 150cm</p>	<table border="1"> <tr> <td>/W-LED</td> <td>43W</td> <td>4860lm</td> <td>4000K</td> <td>CRI&gt;90</td> </tr> <tr> <td>/WW-LED</td> <td>43W</td> <td>4590lm</td> <td>3000K</td> <td>CRI&gt;90</td> </tr> <tr> <td>/XW-LED</td> <td>43W</td> <td>4224lm</td> <td>2700K</td> <td>CRI&gt;90</td> </tr> </table>	/W-LED	43W	4860lm	4000K	CRI>90	/WW-LED	43W	4590lm	3000K	CRI>90	/XW-LED	43W	4224lm	2700K	CRI>90
/W-LED	43W	4860lm	4000K	CRI>90												
/WW-LED	43W	4590lm	3000K	CRI>90												
/XW-LED	43W	4224lm	2700K	CRI>90												
<p><b>dimmmability</b></p>	<p>Dim   with push dimm on cable</p>															
<p><b>marks</b></p>																



*tonda*

---

2513

2514


02  
TABLE



EGOLUCE

tech  
dimensions/light

2513 2514  
LANCIA TONDA - table



2513/2514


<p>2513 Ø 35cm</p>	<table border="1"> <tbody> <tr> <td>/W-LED</td> <td>9,6W</td> <td>1080lm</td> <td>4000K</td> <td>CRI&gt;90</td> </tr> <tr> <td>/WW-LED</td> <td>9,6W</td> <td>1020lm</td> <td>3000K</td> <td>CRI&gt;90</td> </tr> <tr> <td>/XW-LED</td> <td>9,6W</td> <td>960lm</td> <td>2700K</td> <td>CRI&gt;90</td> </tr> </tbody> </table>	/W-LED	9,6W	1080lm	4000K	CRI>90	/WW-LED	9,6W	1020lm	3000K	CRI>90	/XW-LED	9,6W	960lm	2700K	CRI>90
/W-LED	9,6W	1080lm	4000K	CRI>90												
/WW-LED	9,6W	1020lm	3000K	CRI>90												
/XW-LED	9,6W	960lm	2700K	CRI>90												
<p>2514 Ø 50cm</p>	<table border="1"> <tbody> <tr> <td>/W-LED</td> <td>14W</td> <td>1620lm</td> <td>4000K</td> <td>CRI&gt;90</td> </tr> <tr> <td>/WW-LED</td> <td>14W</td> <td>1530lm</td> <td>3000K</td> <td>CRI&gt;90</td> </tr> <tr> <td>/XW-LED</td> <td>14W</td> <td>1440lm</td> <td>2700K</td> <td>CRI&gt;90</td> </tr> </tbody> </table>	/W-LED	14W	1620lm	4000K	CRI>90	/WW-LED	14W	1530lm	3000K	CRI>90	/XW-LED	14W	1440lm	2700K	CRI>90
/W-LED	14W	1620lm	4000K	CRI>90												
/WW-LED	14W	1530lm	3000K	CRI>90												
/XW-LED	14W	1440lm	2700K	CRI>90												
<p><b>dimmmability</b></p>	<p>Dim with push dimm on cable</p>															
<p><b>marks</b></p>																



01  
white



02  
black



25  
satin  
gold





31  
chrome

LEDUCE

# FLOOR/TABLE

*LANCIA LINEARE*



**EGOLUCE**

*lineare*

---

3522

3523

3524

3525

01  
FLOOR




**EGOLUCE**




tech  
dimensions/light


3522 3523 3524 3525  
LANCIA/BI-LANCIA - floor



3522/3523



3524/3525

3522 H 180cm	/W-LED	31,5W	3955lm	4000K	CRI>90
	/WW-LED	31,5W	3535lm	3000K	CRI>90
	/XW-LED	31,5W	3308lm	2700K	CRI>90
3523 H 205cm	/W-LED	36W	4520lm	4000K	CRI>90
	/WW-LED	36W	4040lm	3000K	CRI>90
	/XW-LED	36W	3780lm	2700K	CRI>90
3524 H 180cm	/W-LED	52,5W	6400lm	4000K	CRI>90
	/WW-LED	52,5W	5770lm	3000K	CRI>90
	/XW-LED	52,5W	5460lm	2700K	CRI>90
3525 H 205cm	/W-LED	60W	7360lm	4000K	CRI>90
	/WW-LED	60W	6600lm	3000K	CRI>90
	/XW-LED	60W	6240lm	2700K	CRI>90
<b>dimmability</b>	Dim with dimmer on black cable				
<b>marks</b>	   				



01  
white



02  
black

ESOLUCE

*lineare*

---

2506


02  
TABLE



**EGOLUCE**

tech  
dimensions/light

2506  
LANCIA - *table*



2506  
L. 64cm

/W-LED	9W	1190lm	4000K	CRI>90
/WW-LED	9W	1010lm	3000K	CRI>90
/XW-LED	9W	945lm	2700K	CRI>90

**dimmmability**

Dim | with push dimm


**marks**



2506



**LEDUCE**



Via I. Newton, 12  
20016 Pero - Milan  
Italy

Tel. +39 02 3395861

info@egoluce.com  
export@egoluce.com  
infoworld@egoluce.com

[www.egoluce.com](http://www.egoluce.com)

