

Zeppelin orientabile

Design officinadiarchitettura&design



Code

6411

Description

IP67 walkable adjustable recessed spotlight with diffused light with AISI 316L stainless steel flange, aluminum heat sink, frosted glass screen and 30cm neoprene cable.

Year of production

2013

Typology

recessed ceiling wall floor

Material

INOX AISI 316L

Light Emission

live

IP grade

67

Allimentation

500mA - 2,9Vdc

Finishes

.33 Brushed steel

Light source

/W 1.5W 221lm 4000K
/WW 1.5W 210lm 3000K
/XW 1.5W 199lm 2700k

Net weight


0,49 lb



11,81 inch



2,36 inch



ACCESSORIES

Zeppelin orientabile



Design officinadiarchitettura&design



Kit draining junction box + IP connector Kit draining junction box + IP connector Kit: Zeppelin Maxi drainage formwork + IP connector

0230

0,00 lb

Wall formwork Wall plastic Box Pear shaped formwork

0232

0,00 lb



Spring for ZEPPELIN ADJUSTABLE

0238


0,10 lb



led direct current driver 500mA

0127

0,00 lb



multipower dimmable led driver in continuous current

0141/DIM

0,00 lb

.DIM DIM



dALI multipower continuous current dimmable led driver

0141/DALI

0,00 lb

.DALI DALI



multipower dimmable led driver in continuous current

0145

0,00 lb



dALI multipower continuous current dimmable led driver

0145/DALI

0,00 lb

.DIM 1-10V-PUSH

.1-10V 1-10V

.DALI DALI

