







Code	7516
Description	Illuminator for Joy light system IP65 beam aperture 73°
Year of production	2022
Typology	floor, wall ceiling,
Material	STAINLESS AISI 316L/INOX 304
Light Emission	<i>live</i>
IP grade	IP65
Allimentation	500mA -2,9Vdc
Finishes	.45 Anodized aluminum
Light source	/W 1.5W 221lm 4000K CRI>90 /WW 1.5W 210lm 3000K CRI>90 /XW 1.5W 199lm 2700k CRI>90
Net weight	0,18 lb
	19,69 inch
	1,18 inch




EXAMPLES OF CONFIGURATIONS



EXAMPLES OF CONFIGURATIONS



EXAMPLES OF CONFIGURATIONS



ELEMENTI DI SISTEMA



7501 0,00 lb

- .01 White
- .02 Black
- .06 Green
- .33 Brushed steel
- .34 Corten painted



7500 0,00 lb

- .01 White
- .02 Black
- .06 Green
- .33 Brushed steel
- .34 Corten painted



7504 0,00 lb

- .01 White
- .02 Black
- .06 Green
- .33 Brushed steel
- .34 Corten painted



7505 0,00 lb

- .01 White
- .02 Black
- .06 Green
- .33 Brushed steel
- .34 Corten painted



7508 0,00 lb

- .01 White
- .02 Black
- .06 Green
- .33 Brushed steel
- .34 Corten painted



7510 0,06 lb

.02 ■ Black



7521 0,15 lb

.01 ■ White

.02 ■ Black

.33 ▨ Brushed steel

.34 ■ Corten painted



7522 0,00 lb

.01 ■ White

.02 ■ Black

.06 ■ Green

.33 ▨ Brushed steel

.34 ■ Corten painted


ACCESSORIES



Draining formwork

0228/R

0,00 lb



Box + plate with steel screws

0246/R


0,00 lb



led direct current driver 500mA

0127

0,00 lb



Plastic back case

0216


0,00 lb



Kit: box + perforated plaster

0213

0,00 lb



IP67 connector

0276

0,00 lb



7522

0,00 lb

.01 White

.02 Black

.06 Green

.33 Brushed steel

.34 Corten painted