

Stick system

Design ABS Studio



Code

U1582

Description

Suspension system featuring high direct and punctual light efficiency with brass body, internal aluminum heat sink, 48-degree optical aperture and power cord

Year of production

2020

Typology

suspension,

Material

aluminium

Light Emission

live

IP grade

IP20

Allimentation

350mA - 17Vdc

Finishes

.01 White

.02 Black

.21 Glossy gold

.25 Satin gold

Light source

/W 5,9W 1060lm 17V 4000K CRI>90

/WW 5,9W 1030lm 17V 3000K CRI>90


/XW 5,9W 969lm 17V 2700k CRI>90

Net weight

2,43 lb



98,43 inch



ELEMENTI DI SISTEMA




Plasterboard rosette without cable with ballast - 1 lamp

U0970

0,44 lb

.01 White

.02 Black



Round rosette diameter 20 cm complete with ballast - 1 Lamp

U0557/1

0,00 lb

.01 White

.02 Black




Round rosette diameter 20 cm complete with ballast - 2 Lamps

U0557/2

1,10 lb

.01 White

.02 Black



Round rosette diameter 38 cm complete with ballast - 3 Lamps

U0557/3

3,75 lb

.01 White

.02 Black



Round rosette diameter 38 cm complete with ballast - 4-6 Lamps

U0557/6

3,97 lb


.01 White

.02 Black



Stick system

Design ABS Studio



Rectangular rosette 48x24x3 cm complete with ballast - 2 Lamps

U0979/2

4,41 lb

.01  White

.02  Black



Round rosette diameter 35 cm complete with ballast - 3 Lamps

U0980/3

2,65 lb

.01  White

.02  Black



Round rosette diameter 45 cm complete with ballast - 5 Lamps

U0980/5


5,29 lb

.01  White

.02  Black



ACCESSORIES



Decentralizing diverter

0612

0,07 lb

.01  White

.02  Black

