


# Newton spots

Design ABS Studio



Code	<b>U6342</b>
Description	Recessed projector for plasterboard ceilings, with swivel rod, aluminum body and COB LED direct light.
Year of production	2017
Typology	recessed ceiling,
Material	aluminium
Light Emission	<i>live</i>
IP grade	IP20
Allimentation	500mA - 17,8Vdc
Finishes	<b>.01</b> White <b>.02</b> Black
Light source	<b>/W</b> 8,9W 1353lm 17.8V 4000K CRI>90 <b>/WW</b> 8,9W 1303lm 17.8V 3000K CRI>90 <b>/XW</b> 8,9W 1244lm 17.8V 2700k CRI>90
Net weight	1,21 lb
	2,01 inch



## ACCESSORIES

# Newton spots

Design ABS Studio



Lightbreak for NEWTON

**0267**

0,22 lb

**.01**  White

**.02**  Black



NEWTON anti-glare screen

**0274**

0,04 lb

**.01**  White


**.02**  Black



led direct current driver 500mA

**0127**


0,00 lb



led direct current driver 350mA

**0128**

0,00 lb



multipower dimmable led driver in continuous current

**0141/DIM**

0,00 lb

**.DIM** DIM



dALI multipower continuous current dimmable led driver

**0141/DALI**

0,00 lb

**.DALI** DALI



multipower dimmable led driver in continuous current

**0145**

0,00 lb



dALI multipower continuous current dimmable led driver

**0145/DALI**

0,00 lb

**.PUSH** PUSH

**.1-10V** 1-10V

**.DALI** DALI

