


Code	6381
Typology	recessed ceiling wall wall
IP grade	20
Allimentation	350mA - 2,9Vdc
Finishes	.01 White
Light source	/W 1W 158lm 4000K /WW 1W 150lm 3000K /XW 1W 143lm 2700k
Net weight	0,20 Kg
	0,00 cm




ACCESSORIES

Box + plaster kit Box + plaster SLOT

0249

0,00 Kg



350 mA Driver 1-6 Spot

0125

0,02 Kg

350 mA Driver 1-10 Spot led direct current driver 350mA

0128

0,00 Kg



Multi -power dimmable driver PUSH - 1....10V, 4-14 Spot
multipower dimmable led driver in contiuous current

0141/DIM

0,00 Kg

.DIM DIM



Multi -power DALI dimmable driver, 5-14 Spot dALI
multipower contiuous current dimmable led driver

0141/DALI

0,00 Kg

.DALI DALI





Multi-power dimmable driver PUSH - 1....10V, 1-21 Spot
multipower dimmable led driver in continuous current

0145

0,00 Kg



Multi-power DALI dimmable driver, 1-21 Spot dALI
multipower continuous current dimmable led driver

0145/DALI

0,00 Kg

.DIM 1-10V-PUSH

.1-10V 1-10V

.DALI DALI