



Codice **1592**

Tipologia sospensione,

Grado IP 20

Allimentazione 350mA - 17V dc

Finiture **.02** Nero

.25 Dorato satinato

.32 Nickel satinato

Sorgente luminosa **/W** 5.9W 885lm 17V 4000K

/WW 5.9W 836lm 17V 3000K

/XW 5.9W 800lm 17V 2700k

Peso netto 0,70 kg



1.000 cm



ELEMENTI DI SISTEMA

0968

0,10 kg

.02 Nero

0969 0,00 kg

.01 Bianco

.02 Nero

0967 0,00 kg

.01 Bianco

.02 Nero

0969/S 0,05 kg

.01 Bianco

.02 Nero

0987 0,00 kg

.01 Bianco

.02 Nero

0988 0,00 kg

.01 Bianco

.02 Nero



0970 0,10 kg

.01 Bianco

.02 Nero

0556 1,20 kg

.01 Bianco


.02 Nero

.05 Rosso

0557 0,50 kg

.01 Bianco

.02 Nero



0979/2 2,00 kg

.01  Bianco

.02  Nero

0979/4 0,00 kg

.01  Bianco

.02  Nero



0980/3 1,20 kg

.01  Bianco

.02  Nero



0980/5 0,00 kg

.01  Bianco

.02  Nero

ACCESSORI



Schermo in metallo verniciato nero

0547 0,26 kg

.02  Nero



Diffusore in vetro soffiato

0549 0,10 kg

.02 ■ Nero


.25 ■ Dorato satinato

.32 ■ Nickel satinato

.02 ■ Nero

.25 ■ Dorato satinato

.32 ■ Nickel satinato



Elemento per decentramento Deviatore decentratore

0612 0,03 kg

.01 ■ Bianco

.02 ■ Nero



0987 0,00 kg

.01 ■ Bianco

.02 ■ Nero