



 INCASSO PLAFONE PARETE

Codice	6358
Tipologia	incasso plafone parete
Grado IP	44
Allimentazione	350mA - 2,9Vdc
Finiture	.50  Cristallo
Sorgente luminosa	/W 1W 158lm 4000K /WW 1W 150lm 3000K /XW 1W 143lm 2700k
Peso netto	0,06 Kg
	2,00 cm




ACCESSORI



Controcassa in materiale plastico Plastic Box Controcassa in materiale plastico

0215

0,00 Kg



Box + Plaster traforato Kit: box + plaster traforato

0212

0,00 Kg

Driver 350 mA 1-6 Spot

0125

0,02 Kg



Driver 350 mA 1-10 Spot led driver in corrente continua 350mA

0128

0,00 Kg



Multi-power dimmable driver PUSH - 1....10V, 5-14 Spot led driver dimmerabile multipower in corrente contiuna

0141/DIM

.DIM DIM

0,00 Kg

Multi -power DALI dimmable driver, 4-14 Spot led driver
dimmerabile DALI multipower in corrente contiuna

0141/DALI
.DALI DALI

0,00 Kg



Multi-power dimmable driver PUSH - 1....10V, 1-21 Spot
led driver dimmerabile multipower in corrente contiuna

0145

0,00 Kg



Multi-power DALI dimmable driver, 1-21 Spot led driver
dimmerabile DALI multipower in corrente contiuna

0145/DALI
.DIM 1-10V-PUSH
.1-10V 1-10V
.DALI DALI

0,00 Kg

