


Codice	<b>6381</b>
Tipologia	incasso plafone parete parete
Grado IP	20
Allimentazione	350mA - 2,9Vdc
Finiture	<b>.01</b> Bianco
Sorgente luminosa	<b>/W</b> 1W 158lm 4000K <b>/WW</b> 1W 150lm 3000K <b>/XW</b> 1W 143lm 2700k
Peso netto	0,20 Kg
	0,00 cm




## ACCESSORI

Kit Box + plaster Box + plaster SLOT

**0249**

0,00 Kg



Driver 350 mA 1-6 Spot

**0125**

0,02 Kg

Driver 350 mA 1-10 Spot led driver in corrente continua  
350mA

**0128**

0,00 Kg



Multi -power dimmable driver PUSH - 1...10V, 4-14 Spot  
led driver dimmerabile multipower in corrente contiuna

**0141/DIM**

0,00 Kg

**.DIM** DIM



Multi -power DALI dimmable driver, 5-14 Spot led driver  
dimmerabile DALI multipower in corrente contiuna

**0141/DALI**

0,00 Kg

**.DALI** DALI





Multi-power dimmable driver PUSH - 1....10V, 1-21 Spot  
led driver dimmerabile multipower in corrente continua

**0145**

0,00 Kg



Multi-power DALI dimmable driver, 1-21 Spot led driver  
dimmerabile DALI multipower in corrente continua

**0145/DALI**

0,00 Kg

**.DIM** 1-10V-PUSH

**.1-10V** 1-10V

**.DALI** DALI