


# Zeppelin 25 Plus

Design officinadiarchitettura&design



Code	<b>6384</b>
Description	IP67 walkable recessed spotlight with AISI 316L stainless steel round flange, aluminum heat sink and 30 cm neoprene cable.
Year of production	2012
Typology	recessed ceiling wall floor
Material	INOX AISI 316L
Light Emission	<i>live</i>
IP grade	67
Allimentation	500mA - 2,9Vdc
Finishes	<b>.33</b> Brushed steel
Light source	<b>/W</b> 1.5W 221lm 4000K <b>/WW</b> 1.5W 210lm 3000K <b>/XW</b> 1.5W 199lm 2700k
Net weight	0,20 lb
	11,81 inch
	1,26 inch



## ACCESSORIES

# Zeppelin 25 Plus


Design officinadiarchitettura&design



Plastic Plastic Box Plastic back case

**0216**


0,00 lb



Kit draining junction box + IP connector Kit draining junction box + IP connector Kit: Drainage formwork + IP connector

**0220**

0,00 lb



led direct current driver 500mA

**0127**

0,00 lb



led direct current driver 350mA

**0128**

0,00 lb



# Zeppelin 25 Plus

Design officinadiarchitettura&design



multipower dimmable led driver in continuous current

**0141/DIM**

0,00 lb

**.DIM**  DIM



dALI multipower continuous current dimmable led driver

**0141/DALI**

0,00 lb

**.DALI**  DALI



multipower dimmable led driver in continuous current

**0145**

0,00 lb



dALI multipower continuous current dimmable led driver

**0145/DALI**

0,00 lb

**.DIM** 1-10V-PUSH

**.1-10V**  1-10V

**.DALI**  DALI

