




Code	6382
Description	Recessed direct-light spotlight with aluminum body painted matte white (RAL 9010).
Year of production	2010
Typology	recessed ceiling wall
Material	aluminium
Light Emission	<i>indirect/diffuse</i>
IP grade	20
Allimentation	350mA - 2,9Vdc
Finishes	.01 White
Light source	/B 1W Blue Led /W 1W 158lm 4000K /WW 1W 150lm 3000K /XW 1W 143lm 2700k
Net weight	0,04 lb
	7,87 inch
	0,79 inch




ACCESSORIES

Plastic Plastic Box Plastic back case

0215


0,00 lb



Box + Perforated Plaster Kit: box + perforated plaster

0212


0,00 lb



350 mA Driver 1-10 Spot led direct current driver 350mA

0128


0,00 lb



led direct current driver 500mA

0127

0,00 lb



multipower dimmable led driver in continuous current

0141/DIM

0,00 lb

.DIM DIM



dALI multipower continuous current dimmable led driver

0141/DALI

0,00 lb

.DALI DALI



multipower dimmable led driver in continuous current

0145

0,00 lb



dALI multipower continuous current dimmable led driver

0145/DALI

0,00 lb

.DIM 1-10V-PUSH

.1-10V 1-10V

.DALI DALI

