

# Tiny - track 24V

Design officinadiarchitettura&design



Code **7399**

Description Low voltage 24V magnetic electrified track length 30cm for ceiling and wall applications.

Typology system wall ceiling

Material aluminium

IP grade 20

Allimentation 24Vdc

Finishes

Light source


Net weight 0,00 lb

# Tiny - track 24V

Design officinadiarchitettura&design



## EXAMPLE OF CONFIGURATION













# Tiny - track 24V

Design officinadiarchitettura&design



## ELEMENTI DI SISTEMA

	Track cover 24V 1 mt	<b>7411</b>	0,00 lb
		.02  Black	
	Power head length 8 cm	<b>7404</b>	0,00 lb
		.02  Black	
	24v track end cap	<b>7405</b>	0,00 lb
		.02  Black	
	Rail connection set 24v length 1cm	<b>7406</b>	0,00 lb
		.02  Black	
	90° wall/ceiling junction length 8.6cm	<b>7407</b>	0,00 lb
		.02  Black	

# Tiny - track 24V

Design officinadiarchitettura&design



90° joint length 9 x 7.6 cm

**7410**

0,00 lb

.02  Black



X-junction length 16.5 cm

**7409**

0,00 lb

.02  Black



T-junction length 15cm

**7408**

0,00 lb

.02  Black



## ACCESSORIES

led constant voltage driver 24V 60W

**U0160/24**

0,00 lb



led constant voltage driver 24V 100W

**U0161/24**

0,00 lb

