


# Spoon



Design ABS Studio



Code	<b>6350</b>
Description	IP40 round recessed spotlight asymmetrical light dissipator anodized aluminum.
Year of production	2008
Typology	recessed ceiling wall,
Material	aluminium
Light Emission	<i>live</i>
IP grade	IP40
Allimentation	500mA - 2,9Vdc
Finishes	<b>.01</b> White <b>.45</b> Anodized aluminum
Light source	<b>/W</b> 1.5W 221lm 4000K <b>/WW</b> 1.5W 210lm 3000K <b>/XW</b> 1.5W 210lm 2700k
Net weight	0,15 lb
	7,87 inch
	1,50 inch



## ACCESSORIES

 	<p>Plastic back case</p>	<p><b>0217</b></p>	<p>0,00 lb</p>
 	<p>Kit: box + perforated plaster</p>	<p><b>0214</b></p>	<p>0,00 lb</p>
 	<p>led direct current driver 500mA</p>	<p><b>0127</b></p>	<p>0,00 lb</p>
 	<p>led direct current driver 350mA</p>	<p><b>0128</b></p>	<p>0,00 lb</p>

multipower dimmable led driver in continuous current

**0141/DIM**

0,00 lb

**.DIM** DIM



dALI multipower continuous current dimmable led driver

**0141/DALI**

0,00 lb

**.DALI** DALI



multipower dimmable led driver in continuous current

**0145**

0,00 lb



dALI multipower continuous current dimmable led driver

**0145/DALI**

0,00 lb

**.PUSH** PUSH

**.1-10V** 1-10V

**.DALI** DALI

