

Newton spots

Design ABS Studio



Code **U6344**

Description Recessed projector for plasterboard ceilings, with swivel rod, aluminum body and COB LED direct light.

Year of production 2017

Typology recessed ceiling,

Material aluminium

Light Emission *live*

IP grade IP20

Allimentation 500mA - 17,8Vdc

Finishes **.01** White

.02 Black

Light source **/W** 8,9W 1353lm 17.8V 4000K CRI>90


/WW 8,9W 1303lm 17.8V 3000K CRI>90

/XW 8,9W 1244lm 17.8V 2700k CRI>90

Net weight 1,32 lb



2,01 inch



ACCESSORIES

Newton spots

Design ABS Studio



Lightbreak for NEWTON

0267

0,22 lb

.01  White

.02  Black



NEWTON anti-glare screen

0274

0,04 lb

.01  White


.02  Black



led direct current driver 500mA

0127


0,00 lb



led direct current driver 350mA

0128

0,00 lb



multipower dimmable led driver in continuous current

0141/DIM

0,00 lb

.DIM DIM



dALI multipower continuous current dimmable led driver

0141/DALI

0,00 lb

.DALI DALI



multipower dimmable led driver in continuous current

0145

0,00 lb



dALI multipower continuous current dimmable led driver

0145/DALI

0,00 lb

.PUSH PUSH

.1-10V 1-10V

.DALI DALI

